


R1 Retraction / Largest Modules at the End



R2 Retraction / Largest Modules in the Middle



#### **STRUCTURES**

# EVOLUTION LEAN-TO by Libart

Evolution Lean-To retractable structures are designed to provide an operable extension to an existing building, giving you the flexibility of an indoor or outdoor living experience in the same area. Operation can be manual or motorized, utilizing SecurTrak™ or rail free TeleGlide™ system for ease of operation.

Evolution Lean-To structures are manufactured to sites specific and user needs from 3 base models. There are extensive door and window options to provide access and ventilation without opening the system.



EL



### Lean-To Full Height Retractable Structures

Max Width : 7m (23')
Max Length : 60m (196')

Frames :2

Operation : Motorized or Manual

Glazing : PC or Glass







DL




## Lean-To Full Height Retractable Structures

Max Width : 8m (26')
Max Length : 60m (196')

Frames :3

Operation : Motorized or Manual

Glazing : PC or Glass







VL



#### Lean-To Full Height Retractable Structures

Max Width : 10m (31')
Max Length : 60m (196')

Frames :4

Operation : Motorized or Manual

Glazing : PC or Glass



















To learn more about our projects all around the world and more about the products, please visit us at www.stoett.com

- f facebook.com/stoettoutdoors
- (O) instagram/stoettoutdoors
- (in) linkedin.com/company/stoett-industries-inc
- pinterest.com/stoettoutdoors