

KINETIC

RETRACTABLE GLASS RAILINGS

by Libart





Comfort and aesthetics come together with Kinetic Glass Railings! You never have to compromise your panoramic view ever again. Feel the distinctiveness in architecture with portable or ground fixed glass railings with an extendable wind barrier.

Kinetic railings are a vertically retracting glass handrail and wind break system. Kinetic provides all of the benefits of a

glass handrail, with the additional protection of a wind and rain shield, when needed. The system uses hidden self-charging pistons that eliminate unsightly counterweights, thick profiles, cables, and pulleys commonly used in the industry. Kinetic opens manually and closes automatically with a simple touch.

Due to Kinetics structural glass glazing, virtually no support system can be seen

from the outside. Internally, the Kinetic system has extensive structural support to achieve the necessary safety that is expected from a balcony railing or facade system.

The flexibility of the system makes it ideal for restaurants and hotels as well as residential properties.

Kinetic KU-FC

Fixed to Ground Glass Railing and Windbreak System

Designed completely with tempered glass, Kinetic systems do not contain any horizontal profiles, providing a continuous view. With high resistance to wind loads, other physical factors and aesthetic integrity, it ensures beautiful vistas in your spaces. Because the Kinetic FC is bolted to the ground, it provides high wind resistance and extra safety.

Project Name : Mono Cafe
 Project Code : #3869
 Size/Number : 46" x 72" (12 pieces)
 System : KU-FC





Project Name : M Gallery Accor Hotel
 Project Code : #3586
 Size/Number : 46" x 72" (47 pieces)
 System : KU-FC



TECHNICAL INFO

Max. Width	: 36"-60"
Height	: 46" - closed, 72"-open
Operation	: Semi-Automatic
Glazing	: Bottom & Top Telescopic Glass .2" Tempered / Clear Optional: Bottom Fixed Glass 5+1.52PVB+5 T. Laminated Glass Top Telescopic Glass .2" tempered
Material	: AA 6063-T6
Standard Colors:	RAL 9005 (Black) RAL 9006 (White aluminum) RAL 9010 (White) RAL 1019 (Beige) Can be produced In custom colors.

*Feet must be fixed to the concrete or steel.



Kinetic KU-FB

Telescopic Windbreak Glass Railing w/ Planter (Movable)

Kinetic FB systems are designed portable with an integrated planter. The planter bears the load, obtaining resistance against the wind*. Kinetic FB systems can cater to a wide range of project portfolios such as residential, hotels, shopping centers, cafe-restaurants with a flexibility of plan provided by a portable design advantage and a landscape contribution by the planter that is integrated into the design.

Project Name : Mado İstmarina
 Project Code : #2253
 Size/Number : 46" x 72" (26 pieces)
 System : KU-FB



Project Name : Rönesans Küçükyalı
 Project Code : # 1347
 Size/Number : 46" x 72" (200 pieces)
 System : KU-FB




TECHNICAL INFO

Max. Width : 36"-60"
 Height : 46" - closed, 72" - open
 Operation : Semi-Automatic
 Glazing : Bottom&Top Telescopic Glass
 6 Tempered / Clear
 Optional:
 Bottom Fixed Glass
 5+1.52PVB+5 T. Laminated Glass
 Top Telescopic Glass
 .2' tempered

Planter* : 5.9" x 13.8" **
 Standard Colors : RAL 9005 (Black)
 RAL 9006 (White aluminum)
 RAL 9010 (White)
 RAL 1019 (Beige)
 Can be produced in custom colors.

* The content of the planter is not provided by Libart. For safe use, the planter should be filled with 2.8" gravel, 2.8" wet soil (Approximately 176lbs).
 ** The internal width of the planter is 3.9" shorter than the module width.




TOP TELESCOPIC GLASS

With a touch, it rises up automatically and protects your customers against the wind.

TELESCOPIC SIDE PROFILES

When the wind protection glass rise , the supporting side profiles raise with it to add strength and endurance. When the wind protection glass is lowered, supporting side profiles merge in to lower profiles to present an elegant glass barrier railing look.



INTEGRATED PLANTER


The aluminum retractable glass barrier is attached to a robust galvanized and electrostatic powder painted base designed that functions as an flower pot and counter weight against winds. Base is designed with 6 adjustable pads to provide secure and level placement on uneven surfaces.

STOETT

OUTDOORS



4612



4686



4047



2762

To learn more about our projects all around the world and more about the products, please visit us at www.stoett.com

 facebook.com/stoettoutdoors

 instagram/stoettoutdoors

 linkedin.com/company/stoett-industries-inc

 pinterest.com/stoettoutdoors

www.stoett.com
info@stoett.com

revised: 10.20.22